



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date : January 31, 2008  
TO : Director, Office of Patent Publication  
FROM : Office of Petitions  
SUBJECT : Withdrawal from Issue of **Application No. 10/516,076**

Applicant(s) : Haruhisa Saitoh et al  
Application No. : 10/516,076  
Filed : November 29, 2004

The above-identified application has been assigned Patent No. 7,330,254 and an issue date of February 12, 2008.

It is hereby directed that this application be withdrawn from issue at the request of the applicant. Do not refund the issue fee.

The following erratum should be published in the Official Gazette if the above-identified application is published in the OG of February 12, 2008:

"All reference to Patent No. 7,330,254 to Haruhisa Saitoh et al of Japan for FLUORESCENCE LIFETIME DISTRIBUTION IMAGE MEASURING SYSTEM AND ITS MEASURING METHOD appearing in the Official Gazette of February 12, 2008 should be deleted since no patent was granted."

Karen Creasy  
Petitions Examiner  
Office of Petitions

cc: Paul Harrison  
Deneise Boyd  
Mary Louise McAskill  
Niomi Farmer  
Mary E. Johnson (Cookie)  
Duane Davis (CDS)  
Brad Harris  
Kim Terrell  
Kay Pinkney  
Betty Powell